
PREMIUM SUPER DRY CUTTER 9435 THE BESTSELLER

Metal cutting chop saw by Jepson Power for fast and burr free cutting of metal pipes and profiles without coolant

- Cuts ferrous and non-ferrous metal tubes, pipes and profiles made of mild steel, stainless steel, aluminum, plastic and composite materials
- No need for lubricant and manual deburring
- · Exclusive blade stabilising system reduces vibration
- High torque motor for continuous operation
- Patented quick-release vice for bevel cuts
- Heavy duty angle cutting at 90-75-60-45°
- Optional stand for a comfortable and save work place
- CE approved operating system

Scope of delivery:

Ø 355 / 90T CT saw blade for steel and stainless steel



TWO PATENTED STABILIZERS FOR A BETTER CUTTING SURFACE AND LONG CUTTING LIFE



"K" CLAMPING SET FOR SQUARE TUBES For a safer and more stable cutting process (included)



QUICK RELEASE QUICK RELEASE SYSTEM Enables precise and efficient clamping



RIP FENCE Increased stability - makes it easier to saw short materials



MITER CUTS CAN BE ADJUSTED WITHOUT TOOLS 90-75-60-45°



CHIP COLLECTOR
For a clean workplace

Power input	Voltage	No load speed	Net weight	Blade size	Bore		
2.400 W	230V/50Hz or 115V/60Hz	1.400 min ⁻¹	25 kg	Ø 355 mm	Ø 25,4	,4	
Premium Super Dry Cutter 9435		Reference	Max. cutting capacities				
with Ø 355/90T CT saw blade 230V		600560T3			90°	45°	
with Ø 355/90T CT saw blade 115V		600560UST3	Round	140	/ Inox 125	102	
			Square		125 x 125	80 x 80	
			Rectangular		105 x 155	75 x 100	

www.drycutter.com



ACCESSORIES (OPTIONAL)

Selecting the correct number of teeth depends on the wall/diameter of the material. We will be happy to advise you. +49 (0) 2403 64 55 0

Carbide tipped saw blades	Ø [mm]	Teeth	Bore [mm]	Kerf [mm]	Max. Speed	Wall thickness [mm]	Reference	
Stainless steel NSF coated	355	90	25,4	2,2	1.800 min ⁻¹	≤ 3 - 4	600570NSF	OF
Stainless steel (thin-walled)	355	120	25,4	2,2	1.800 min ⁻¹	≤2-3	6005121	6
Steel & stainless steel (thin-walled)	355	90	25,4	2,2	1.800 min ⁻¹	≤ 3 - 4	600570	
Steel & stainless steel (medium-walled)	355	72	25,4	2,2	1.800 min ⁻¹	≤ 5 - 6	600580	01
Steel & stainless steel (thick-walled)	355	60	25,4	2,2	1.800 min ⁻¹	≤ 10	600590	55
Cast iron / SML	355	60	25,4	2,2	1.800 min ⁻¹	≤ 10	600591	66
Structural steel	355	66	25,4	2,2	1.800 min ⁻¹	≤ 10	600595	656
Aluminum	355	96	25,4	3,4	3.500 min ⁻¹	≤ 4 - 5	600594	









609910

Ref.

600546